

Solution Mining Research Institute Fall 2008 Technical Conference
Galveston, Texas, USA, 13–14 October 2008

**MAPPING STRUCTURAL GEOLOGY FROM SOLUTION-MINED
STORAGE CAVERN WELLBORES FOR SELECTING
CASING SHOE AND LEACHING STRING DEPTHS**

Doug Patterson and Xiaoming Tang
Baker Hughes, Houston, Texas, USA

Joe Ratigan
PB Energy Storage Services, Inc., Houston, Texas, USA

Abstract

Geologic structures in salt domes can be of great importance in the development and operation of hydrocarbon storage caverns in the United States Gulf Coast. A single-well acoustic reflection survey methodology was recently developed to image geologic structures in the vicinity of a borehole drilled into a salt dome. The borehole acoustic wave frequency is in the kilohertz range and acoustic propagation in salt usually has a high velocity and low attenuation. Thus the borehole survey allows for obtaining high-resolution structural images hundreds of feet across the wellbore. The images reveal salt dome structural geology characteristics believed to correspond to spine boundaries, mineralogic planes, and/or planes of preferred dissolution, which are impossible to map with only surface or typical borehole seismic data. This paper describes several case histories of structural geology impacts on solution-mined caverns, the data acquisition and processing procedures for mapping geologic structure before solution mining, and an inside dome imaging result that is validated with other measurement results.

Key Words: Cavern Design, Drilling, Geology, Salt Domes, Storage Cavern, Well Logging